

1/18




FIG. 1

2/18

NO.	IDEAL CONDITION: ALL BASE AND F ADDUCTS FULLY CHARGED					IN PURE WATER
	Charge on indicated moiety		Net charge			pH 7.0
	NUCLEOBASE	F	NP PROBE	PP-F	Change	Change
1	-3	-3	-9	-6	3	3.25
2	-3	-2	-8	-5	3	3.25
3	-3	-1	-7	-4	3	3.25
4	-3	0	-6	-3	3	3.25
5	-3	1	-5	-2	3	3.25
6	-3	2	-4	-1	3	3.25
7	-3	3	-3	0	3	3.25
8	-2	-3	-8	-6	2	2.26
9	-2	-2	-7	-5	2	2.26
10	-2	-1	-6	-4	2	2.26
11	-2	0	-5	-3	2	2.26
12	-2	1	-4	-2	2	2.26
13	-2	2	-3	-1	2	2.26
14	-2	3	-2	0	2	2.26
15	-1	-3	-7	-6	1	1.26
16	-1	-2	-6	-5	1	1.26
17	-1	-1	-5	-4	1	1.26
18	-1	0	-4	-3	1	1.26
19	-1	1	-3	-2	1	1.26
20	-1	2	-2	-1	1	1.26
21	-1	3	-1	0	1	1.26
22	0	-3	-6	-6	0	0.26
23	0	-2	-5	-5	0	0.26
24	0	-1	-4	-4	0	0.26
25	0	0	-3	-3	0	0.26
26	0	1	-2	-2	0	0.26
27	0	2	-1	-1	0	0.26
28	0	3	0	0	0	0.26
29	1	-3	-5	-6	-1	-0.74
30	1	-2	-4	-5	-1	-0.74
31	1	-1	-3	-4	-1	-0.74
32	1	0	-2	-3	-1	-0.74
33	1	1	-1	-2	-1	-0.74
34	1	2	0	-1	-1	-0.74
35	1	3	1	0	-1	-0.74
36	2	-3	-4	-6	-2	-1.74
37	2	-2	-3	-5	-2	-1.74
38	2	-1	-2	-4	-2	-1.74
39	2	0	-1	-3	-2	-1.74
40	2	1	0	-2	-2	-1.74
41	2	2	1	-1	-2	-1.74
42	2	3	2	0	-2	-1.74
43	3	-3	-3	-6	-3	-2.74
44	3	-2	-2	-5	-3	-2.74
45	3	-1	-1	-4	-3	-2.74
46	3	0	0	-3	-3	-2.74
47	3	1	1	-2	-3	-2.74
48	3	2	2	-1	-3	-2.74
49	3	3	3	0	-3	-2.74

FIG. 2

3/18





FIG. 3


4/18



dTTP-BQS-BTR

FIG. 4

5/18



**FIG. 5**

6/18




COMPOUND	CHARGE	NAME	STRUCTURE
50	N = -2 F = +2	DBA-U-BQS-TAMRA X	
51	N = -2 F = +1	DBA-U-BQS-Oregon 500	
52	N = -1 F = +2	SUC-U-BQS-TAMRA X	

FIG. 6A

7/18



53	$N = +2$ $F = +1$	PAA-A-BQS-Oregon 500	
54	$N = +2$ $F = 0$	PAA-U-BQS-Alexa 488	

FIG. 6B

8/18

55	N = -1 F = +1	Suc-U-peptide+2-Oregon 500	
56	N = 0 F = 2	T-BQS-TAMRA X	
57	N = 0 F = 2	T-BQS-TAMRA	

FIG. 6C



9/18




58	N = +1 F = +1	AA-U-BQS-Oregon 500	
59	N = 0 F = +1	G-BQS-Oregon 500	
60	N = +2 F = +1	PAA-C-BQS-Oregon 500	

FIG. 6D

10/18






FIG. 6E

11/18

Scheme 7 - Peptide linkers (shown in C-to-N direction)




Scheme 8 - Peptide Deprotection By Thrombin Cleavage




Scheme 9 - Add carboxylate to aminoallyl-dUTP

One Negative Charge:



Two Negative Charges:



Scheme 10 -  $\gamma$ -dNTP With Carboxylated Base

1.  $\text{NH}_2$ -dU-PPP + Pht (of Scheme 1)  $\rightarrow$
2. Pht-NH-dU-PPP +  $\epsilon$ NH<sub>2</sub>-KKK-pep-RPTL  $\rightarrow$
3. Pht-NH-dU-PPP-KKK-pep-RPTL + 1M NaOH  $\rightarrow$
4.  $\text{NH}_2$ -dU-PPP-KKK-pep-RPTL + anhydride (of Scheme 9)  $\rightarrow$
5.  $(\text{COO}^-)$ -dU-PPP-KKK-pep-RPTL + thrombin  $\rightarrow$
6.  $(\text{COO}^-)$ -dU-PPP-KKK-pep-NH<sub>2</sub> + SE-Dye  $\rightarrow$
7.  $(\text{COO}^-)$ -dU-PPP-KKK-pep-NH-Dye

FIG. 6F

12/18




FIG. 7

13/18




FIG. 8

14/18




FIG. 9

15/18






FIG. 10

16/18

### Mg<sup>++</sup> Controls Electrophoretic Mobility of Nucleotides



A




B

FIG. 11



17/18



**FIG. 12**

18/18




FIG. 12 (continued)